

## Dog Diaper (Large Breed)

Cut 2 of body on fold  
(one of PUL and one of Outer print)  
Cut 2- 5in.x4in. straps (any fabric)  
Cut 2- 18in.x4in. Leg bands (any fabric)  
Cut 1- 10in. Loop Velcro  
Cut 2- 2" Hook Velcro

Fold strap in half width ways with right sides facing each other. Sew around the edges leaving an opening to flip right side out. Top stitch

Fold Leg bands in half width ways and sew it along the outer fabric leg area with wrong sides facing and so the seam goes to the underside.

Pin the 2 body layers together right sides facing. Pin the straps onto the front with the straps between the fabrics. Also be sure that the leg bands are on the inside of the fabric.

Sew along the diaper leaving an opening at the back to turn right side out. Once turned right side out you can sew the casing along the front to put the elastic in and topstitch the diaper if desired.

Don't forget to cut out the hole for dogs tail! I used an overcast stitch on the 2 layers to prevent fraying

Tack down the elastic in the front casing and in the leg bands. I then used an overcast stitch on the leg band openings to prevent fraying.

Sew the loop velcro to the back top of the diaper. Sew the Hook velcro to the wing tabs.


You are now done!

Lay a pad in the diaper or any other material you would like to use to absorb.

L  
D



*Fuzzy Wuzzy Wuzzy Bear*



U S C A



*Fuzzy Wuzzy Wuzzy Bear*

F  
O  
I



# Back



*Fuzzy Wuzzy Wuzzy Bear*

